


NASA Aeronautics Six Strategic Thrusts and Community Visions







• Achieve safe, scalable, routine, high-tempo airspace access for all users



Innovation in Commercial Supersonic Aircraft

• Achieve practical, affordable commercial supersonic air transport



Ultra-Efficient Subsonic Transports

 Realize revolutionary improvements in economics and environmental performance for subsonic transports with opportunities to transition to alternative propulsion and energy



Safe, Quiet, and Affordable Vertical Lift Air Vehicles

 Realize extensive use of vertical lift vehicles for transportation and services including new missions and markets



In-Time System-Wide Safety Assurance

 Predict, detect and mitigate emerging safety risks throughout aviation systems and operations



Assured Autonomy for Aviation Transformation

Safely implement autonomy in aviation applications

Strategic Implementation Plan (released 2020) at: https://www.nasa.gov/aeroresearch/strategy
National Academies Study (2020) at: https://www.nap.edu/catalog/25646/advancing-aerial-mobility-a-national-blueprint


AAM and **UAM**



NASA Focus is on Advanced Air Mobility (AAM) Missions

- AAM missions characterized by< 300 nm range
- Vehicles require increased automation and are likely electric or hybrid-electric
- Rural and urban operations and cargo delivery are included
- Urban Air Mobility (UAM) is a subset of AAM and is the segment that is projected to have the most economic benefit and be the most difficult to develop
 - UAM requires an advanced urbancapable vehicle
 - UAM requires an airspace system to handle high-density operations







https://www.nasa.gov/aam-studies-reports/

Advanced Air Mobility (AAM) Mission Urban Operations Rural Operations Inter-City eVTOL Regional Network Cargo Delivery Delivery Airport Transfer Distribution Center/Warehouse Ambulance Fleet Operations Inter-city eVTOL Package Delivery Cross-metro Safe, sustainable, affordable, and accessible aviation for transformational local and intraregional missions

AAM Mission Critical Commitment – What NASA will Deliver



Vehicle Development and Operations Develop concepts and technologies to define requirements and standards addressing key challenges such as safety, affordability, passenger acceptability, noise, automation, etc.

Airspace Design and Operations Develop UTM-inspired concepts and technologies to define requirements and standards addressing key challenges such as safety, access, scalability, efficiency, predictability, etc.

Community Integration Create robust implementation strategies that provide significant public benefits and catalyze public acceptance, local regulation, infrastructure development,


Critical Commitment:

Based on validated operational concepts, simulations, analyses, and results from National Campaign demonstrations, the AAM Mission will deliver aircraft, airspace, and infrastructure system and architecture requirements to enable sustainable and scalable medium density advanced air mobility operations

Achieving a "validated system architecture" will require <u>enabling activities</u> such as 1) the AAM National Campaign Series 2) a robust Ecosystem Partnership model and 3) NASA ARMD Portfolio Execution.

AAM Mission Critical Commitment





Critical Commitment:

Based on validated operational concepts, simulations, analyses, and results from National Campaign demonstrations, the AAM Mission will deliver aircraft, airspace, and infrastructure system and architecture requirements to enable sustainable and scalable medium density advanced air mobility operations

Achieving a "validated system architecture"
2) a robust Ecosystem Pa

https://www.nasa.gov/aamnationalcampaign

National Campaign Series Fundamentals




- Series Emphasis on Operational Scenarios, and remaining flexible to industry needs
 - NC-DT assesses the readiness of external ranges and partners to collect comprehensive data in support of NC-1 (~spring 2021)
 - NC-1 scenarios will move participants closer to operations by baselining operational expectations and identifying gaps in AAM (~summer 2022)

NC-2-4, and associated developmental testing, will progressively mature advanced UAM vehicle

configurations and automation research

- Primary test ranges determined by the locations where partners plan to fly
- Ecosystem WG's will be the primary means for the entire community to provide inputs into the Series





NASA AAM Facilities and Capabilities





Air Traffic Operations Lab



Airspace Operations Lab



Ames UAM Lab




CERTAIN Range



Cockpit Motion Facility



Cognitive Engineering Lab



Computational Fluid Dynamics



Developmental UAM Simulator - Flyer



Dryden Aeronautical Test Range



Exterior Effects Room



Flight Loads Lab



Future Flight Central



NASA AAM Facilities and Capabilities Cont.





Icing Research



Landing and Impact Research Facility



Low Speed Aeroacoustic Wind Tunnel



Mobile Acoustics Facility



Mobile Operations Facility



Research Flight Deck



Infrastructure



UAS Flight Test Control Room



Vertical Motion Simulator



X-57 Maxwell



12' Tunnel-Low-cost **Exploratory Facility**



14- by 22-Foot Subsonic Tunnel

Many others including wind tunnels, aircraft, ranges, cockpit sims, supercomputers, etc.

NASA RVLT Project Research Areas



Ames Research Center

- Aeromechanics
- System Analysis
- Computational Methods
- Experimental Capability
- Flt Dyn & Ctrl
- Acoustics

Armstrong Flight Research Center

- National Campaign execution
- UAM electric system and flt control integration
- eVTOL reliability

Glenn Research Center

- Hybrid/ Electric Systems
- Electro-Mech Powertrains
- Small Turboshaft Engines
- Icing
- System Analysis
- Impact Dynamics
- Acoustics

Langley Research Center

- Acoustics
- Computational Methods
- Aeromechanics
- Experimental Capability
- Impact Dynamics
- System Analysis









NASA Concept Vehicles – Generic Geometries that Capture Many UAM Features



NASA reference vehicles ◆ Widely shared ◆ Fully documented ◆ Realistic performance ◆ Realistic set of compromises ◆ No plans to build or fly these concepts ◆

- Vehicles contain relevant UAM features and technologies
 - Battery, hybrid, diesel propulsion
 - Distributed electric propulsion
 - High efficiency rotors
 - Quieter rotors
 - Wake interactions
- Provide configurations for
 - Communication of NASA's Urban Air Mobility research
 - Design and analysis tool development
 - Technology trade studies and sizing excursions
 - Modeling operational scenarios
 - Common configurations for studies in acoustics, flight dynamics, propulsion reliability, etc.



Research Areas for UAM eVTOL Vehicles



PROPULSION EFFICIENCY

high power, lightweight battery light, efficient, high-speed electric motors power electronics and thermal management light, efficient diesel engine light, efficient small turboshaft engine efficient powertrains

SAFETY and **AIRWORTHINESS**

FMECA (failure mode, effects, and Quadrotor + Electric criticality analysis) component reliability and life cycle crashworthiness Electric motor reliability assessment

propulsion system failures high voltage operational safety high voltage protection devices

PERFORMANCE

aircraft optimization rotor shape optimization

hub and support drag minimization airframe drag minimization

ROTOR-ROTOR INTERACTIONS

performance, vibration, handling qualities aircraft arrangement

vibration and load alleviation



NOISE AND ANNOYANCE

low tip speed rotor shape optimization flight operations for low noise aircraft arrangement/interactions + TurboElectric cumulative noise impacts from fleet ops active noise control cabin noise electric motor noise metrics and requirements



Side-by-side + Hybrid



OPERATIONAL EFFECTIVENESS

disturbance rejection (control bandwidth, control design) Ops in moderate to severe weather passenger acceptance/ ride quality cost (purchase, maintenance, DOC)

ROTOR-WING INTERACTIONS

conversion/transition interactional aerodynamics flow control

AIRCRAFT DESIGN

weight, vibration handling qualities active control

STRUCTURE AND **AEROELASTICITY**

structurally efficient wing and rotor support rotor/airframe stability crashworthiness durability and damage tolerance high-cycle fatique

Red = primary RVLT research area Blue = secondary RVLT research area 12

RVLT Near Term Focus for Research

FY20-FY22




Vehicle Propulsion Reliability



Reliable and Efficient Propulsion Components for UAM

- Re-configure laboratories for electric propulsion testing
- Conduct initial single string tests
- Develop tools to assess motor reliability
- Develop high reliability conceptual motor design


UAM Fleet Noise



UAM Operational Fleet Noise Assessment

- Generate Noise Power Distance (NPD) database for several UAM reference configurations and trajectories
- Conduct Fleet Noise assessments
- Initiate psychoacoustic testing to assess human response to UAM vehicles

Noise and Performance



Tools to Explore the Noise and Performance of Multi-Rotor UAM Vehicles

- Plan and conduct validation experiments
- · Improve efficiency and accuracy of conceptual design tools
- Conduct high-fidelity configuration CFD for validation and reference
- Improve community transition and training for analysis tools

Safety and Acceptability



Targeted Research in These Areas

- Occupant protection and survivability
- Acceptable handling and ride qualities for UAM vehicles
- Ice accretion and shedding for UAM

Summary

NASA

NASA is focused on

- Advanced Air Mobility as one of the priorities for Aeronautics research
- Vertical lift vehicle technology supporting Urban Air Mobility
- Airspace technologies for AAM
- National Campaign Demonstrations
- Ecosystem Working Groups

RVLT is focused on

VTOL R&T to improve noise and safety



The RVLT vision is to create a future where VTOL configurations operate quietly, safely, efficiently, affordably and routinely as an integral part of everyday life.